





Waxman Ceramic Tiles
covering the nation



anti-slip tiles



index

- 2 Radica
- 3 Brezo
- 4 Delhi
- 5 Limestone
- 6 WR Series
- 7 Assouan Stone
- 8 Planets
- 9 Coral
- 10 Unglazed
- 11 Unglazed Accessories
- 12 WP Series Colours
- 13 WP Series Surfaces
- 14 Mazurka
- 15 Harmonie Anti-Slip
- 16 Ceramic Pool / Niebla



- Floor Tile
- Wall Tile
- Frostproof
- Also available with anti-slip finish
- Anti-Slip tile

Anti-Slip Information

Our Anti-Slip tiles have been rigorously tested, using two methods:-

Ramp Test


DIN 51097 Results are quoted as either A, B or C as guidance for use in wet barefoot areas.

DIN 51130 Results are quoted as either R9 to R13 as guidance for use in shod areas..




Ramp Test

|  | DIN 51097 |
|---|----------------|
| Result | Angle of Slope |
| A | >12° |
| B | >18° |
| C | >24° |

|  | DIN 51130 |
|---|----------------|
| Result | Angle of Slope |
| R9 | >3° <10° |
| R10 | >10° <19° |
| R11 | >19° <27° |
| R12 | >27° <35° |
| R13 | >35° |

Pendulum Test

This test is carried out both 'Wet' and 'Dry' providing Slip Resistance Values (SRV)

|  | Pendulum |
|---|--|
| SRV | |
| 0-25 | Dangerous or high potential for slipping |
| 25-35 | Marginal or moderate potential for slipping |
| 35-65 | Safe or low potential for slipping |
| 65+ | Very safe - Extremely low potential for slipping |

Colours shown are as accurate as the limitations of the printing process will allow. Please refer to actual product samples before ordering.

June 2010



Marfil Grip




Negro Grip



Product Glazed Porcelain Floor Tile
Size 33 x 33cm
Thickness 9mm
Tiles / Carton 9
M² / Carton 1,00m²

 **Anti-Slip Rating**
 DIN 51097 'C'
Pendulum
 SRV Dry 65
 Wet 62


Ocre Grip

Beige Grip


| Product | Glazed Porcelain Floor Tile | |
|-------------------------|-----------------------------|--------------------|
| Size | 33 x 33cm | 45 x 45cm |
| Thickness | 9mm | 9mm |
| Tiles / Carton | 4 | 5 |
| M ² / Carton | 1.00m ² | 1.00m ² |

- Anti-Slip Rating: DIN 51097 'C'

Pendulum:
SRV Dry 67
Wet 56




Nature Grip

V4 Substantial Variation

| | | | |
|-------------------------|------------------------------------|--------------------|-------------------------------------|
| Product | Glazed Porcelain Floor Tile | | ● Anti-Slip Rating DIN 51097 'C' |
| Size | 33 x 33cm | 45 x 45cm | |
| Thickness | 9mm | 9mm | Pendulum SRV Dry 66 Wet 65 |
| Tiles / Carton | 9 | 5 | |
| M ² / Carton | 1,00m ² | 1,00m ² | |



- Easy to clean
- Incorporating new inbuilt slip resistant technology



Lifestone Nacor



Lifestone Arena



Lifestone Gris



Lifestone Tabacco



Product Unglazed Porcelain
Size 45 x 45cm
Thickness 10mm
Tiles / Carton 4
M² / Carton 0,81m²

• **Anti-Slip Rating**
 DIN 51097 'C'
Pendulum
 SRV Dry 60
 Wet 50



Mondo



Thor



Baldor



Freyr



Odino



Battiscopa
9.5 x 30cm
9.5 x 45cm
(available in all colours)


● Anti-Slip Rating
DIN 51097 'C'

Pendulum
SRV Dry 69
Wet 65

Product - Unglazed Porcelain Floor Tiles

| Colours | Formats | | | | | | |
|-------------------------|--|--|--|--|--|--|--|
| | 15 x 15cm Thickness: 9mm Rectified | 15 x 30cm Thickness: 9mm Rectified | 30 x 30cm Thickness: 9mm Rectified | 30 x 30cm Thickness: 9mm Non Rectified | 15 x 45cm Thickness: 9mm Rectified | 30 x 45cm Thickness: 9mm Rectified | 45 x 45cm Thickness: 9mm Rectified |
| Mondo | ● | ● | ● | ■ | ● | ● | ● |
| Thor | ● | ● | ● | ● | ● | ● | ● |
| Odino | ● | ● | ● | ● | ● | ● | ● |
| Freyr | ● | ● | ● | ● | ● | ● | ● |
| Baldor | ● | ● | ● | ● | ● | ● | ● |
| Tiles / Carton | 38 | 19 | 11 | 11 | 16 | 8 | 5 |
| M ² / Carton | 0.86m ² | 0.86m ² | 0.99m ² | 0.99m ² | 1.08m ² | 1.08m ² | 1.01m ² |

■ Stock Item ● To Order



8607 Grey



8606 Beige



8605 Sand



Step Tread - Available in all colours



| | |
|-------------------------------|-------------------------|
| Product | Glazed Porcelain |
| Size | 50 x 50cm |
| Thickness | 10mm |
| Tiles / Carton | 4 |
| M² / Carton | 1.00m ² |

- **Anti-Slip Rating**
DIN 51097 1C⁺

| | |
|-----------------|---------|
| Pendulum | |
| SRV | Dry: 60 |
| | Wet: 47 |



MGT 14
Jupiter




MGT 19
Neptune



MGT 12
Earth



MGT 189
Saturn



MGT 193
Venus



MGT 857
Pluto

Product Glazed Ceramic Mosaic
Size 50 x 50mm
Thickness 5mm
Tiles / Sheet 36
Sheet Size 297 x 297mm
Sheets / Carton 10
M² / Carton 0.90m²
Backing Mesh Backed


• **Anti-Slip Rating**
 DIN 51097 'C'
Pendulum
 SRV Dry 71
 Wet 66




CR-61
Arctic White



CR-64
Sahara



CR-62
Parchment




CR-63
Aqua



Product Glazed Ceramic Mosaic
Size 50 x 50mm
Thickness 6mm
Tiles / Sheet 36
Sheet Size 316 x 316mm
Sheets / Carton 10
M² / Carton 1.00m²
Backing Mesh Backed

Anti-Slip Rating
 DIN 51097 'C'
Pendulum
 SRV Dry 70
 Wet 53

Unglazed



single colour



WK-141
Pale Blue



WK-142
Blue



WK-143
Dark Blue



WK-144
Blue Moon



WK-150
Pistache




WK-151
Pale Green



WK-152
Green



WK-153
Dark Green



WK-120
Super White



WK-121
White



WK-136
Ontario




WK-135
Linen



WK-134
Coffee



WK-130
Ivory



WK-131
Vanilla



WK-132
Cognac



WK-122
Pearl



WK-123
Pale Grey



WK-124
Grey



WK-125
Anthracite



WK-126
Black



WK-110
Rose



WK-111
Old Pink



WK-112
Panna



WK-133
Yellow



WK-101
Brown



WK-100
Red



WK-138
Caramel



WK-137
Havana

variegated




WK-600
Chamette



WK-401
Chamille



WK-508
Blue



WK-509
Green

speckled



WK-256
Marini



WK-255
Loto



WK-257
Pyrenees



WK-201
Bretagne



WK-250
Amazonie



WK-254
Emeraude



WK-252
Calvados

porphyre



WK-508
Blue



WK-509
Green



WK-507
Rose



WK-501
Grey



WK-505
Black



WK-503
Stone



WK-502
Yellow



WK-506
Rust



WK-510
Wolf



WK-504
Brown

Product Unglazed Porcelain
Size 50 x 50mm 100 x 100
Thickness 6mm 9mm



Unglazed Accessories



NDM White - Step Edge
100 x 100mm



NDM Cognac - Step Edge
100 x 100mm



NDM Black - Step Edge
100 x 100mm



2NDM White - Double Step Edge
100 x 100mm



NDM White - Step Edge
50 x 50mm



NDM Cognac - Step Edge
50 x 50mm



NDM Black - Step Edge
50 x 50mm



2NDM White - Double Step Edge
50 x 50mm



ORE Black - One Round Edge
100 x 100mm



ORE White - One Round Edge
100 x 100mm



White - Rice Grain Anti-Slip
100 x 100mm



White - Natural Finish
100 x 100mm
50 x 50mm



FC White - Finger Grip
100 x 100mm



ORE Black - One Round Edge
50 x 50mm



ORE White - One Round Edge
50 x 50mm



White - Rice Grain Anti-Slip
50 x 50mm



PAR External Angle - White




PAR Skirting - White
100 x 100mm



PAR Internal Angle - White

| ● Anti-Slip Ratings | Natural Finish | Rice Grain Anti-Slip |
|------------------------|--------------------|----------------------|
| DIN 51130 DIN 51097 | R10 C | R12 C |
| Pendulum SRV | Dry: 59 Wet: 39 | |

WP Series Colours




Blanco A



Blanco B



Nebraska



Arkansas



Ontario



Labrador



Colorado



Sahara



Georgia



Natural Finish



Roccia



Profil




Reticolo



Corbo



Secura



Bugnato



Pave



Industrie

| Product | Unglazed Porcelain | | | | ● Anti-Slip Rating | |
|-----------|--------------------|---------|-----------|---------|---------------------------|--|
| | Formats | 15x15cm | 20x20cm | 30x30cm | | |
| Natural | | 8/11 | 8/11/14 | 8/11/14 | DIN 51130-R9 | |
| Roccia | | | 8/11/14 | 8/11/14 | DIN 51130-R12 DIN 51097-C | |
| Profil | | 8/11 | 8/11/14 | | DIN 51130-R12 DIN 51097-C | |
| Reticolo | | 8/11** | 8/11/14** | | DIN 51130-R12 DIN 51097-C | |
| Corbo | | | 8/11* | | DIN 51130-R11 | |
| Secura | | 8/11** | 8/11/14 | 8/11/14 | DIN 51130-R11 DIN 51097-B | |
| Bugnato | | | 8/11/14 | | DIN 51130-R11 DIN 51097-C | |
| Pave | | | 8/11/14 | | DIN 51130-R11 DIN 51097-C | |
| Industrie | | | 8/11*** | | DIN 51130-R13 DIN 51097-C | |


Available sizes and thickness (8=8mm, 11=11.3mm, 14=14.2mm)

All surfaces available in all colours unless otherwise indicated

* = Available in colours Bianco A & Labrador

** = Available in colours Nebraska, Arkansas & Labrador

*** = Available in colours Bianco A & Labrador



Product Unglazed Porcelain / Crystal Mosaic
Size 25 x 25mm
Thickness 4mm
Tiles / Sheet 169
Sheet Size 348 x 348mm
Sheets / Carton 17
M² / Carton 2.05m²
Backing Mesh Backed

● **Anti-Slip Ratings**
 DIN 51130 'R10'
 DIN 51097 'C'




Harmonie Anti-Slip



AG-2/AD
Pierre



AF-1/AD
Fleurier



AG-3/AD
Lotuj



AF-2/AD
Ciprigna



AG-11/AD
Puntello



AG-17/AD
California



AG-18/AD
Lavanda



AF-3/AD
Flores



AG-19/AD
Petalo




AG-20/AD
Gravier



AG-24/AD
Irois




AF-4/AD
Scilly



AG-32/AD
Galapagos



AG-33/AD
Danube



AG-34/AD
Aster




AF-5/AD
Oricode


Product Glazed Porcelain / Crystal Mosaic
Size 25 x 25mm
Thickness 4mm
Tiles / Sheet 169
Sheet Size 348 x 348mm
Sheets / Carton 9
M² / Carton 1.06m²
Backing Mesh Backed

● Anti-Slip Ratings
 DIN 51130 'R12'
 DIN 51097 'C'

Ceramic Pool



AT-101
White



AT-404
Blue

Product Glazed Ceramic Mosaic
Size 25 x 25mm
Thickness 5mm
Tiles / Sheet 132
Sheet Size 324 x 298mm
Sheets / Carton 10
M² / Carton 0.99m²
Backing Mesh Backed

• Anti-Slip Rating
DIN 51097 'C'

Niebla



PS-50
Foggy Light Blue




PS-53
Foggy Mid Blue



PS-55
Foggy Dark Blue



NI-10
Naturu Corpatol



Product Glazed Mosaic
Size 25 x 25mm
Thickness 5mm
Tiles / Sheet 169
Sheet Size 333 x 333mm
Sheets / Carton 18
M² / Carton 2.00m²
Backing CORD (Polyurethane)

• Anti-Slip Rating
DIN 51097 'C'



please visit our website

www.waxmanceramics.co.uk

Head Office

Grove Mills
Eiland
West Yorkshire
HX5 9DZ
England

Tel: 01422 377123
Fax: 01422 310654

email: info@waxmanceramics.co.uk