





Waxman Ceramic Tiles
covering the nation



swimming pool copings



index




Swimming Pool Copings to Order

- 2 US Series - Natural Stone Copings
- 3 WR Series - Porcelain Copings
- 4 WA Series - Porcelain Copings
- 6 Limestone - Porcelain Copings
- 7 Porphir - Porcelain Copings
- 8 Unglazed Accessories
- 9 Serapool - Porcelain Tiles



US Series - Natural Stone Copings




Crema Beige - Marble
 USS - 610
 150 x 600 mm
 Thickness 30 mm
 Tumbled, grooved and bull nosed



Crema Beige Radius - Marble
 USS - 610
 Radius pieces made to customer specifications -
 template required
 Thickness 30 mm




Classic Travertine - Travertine
 USS - 468
 150 x 600 mm
 Thickness 30 mm
 Tumbled, grooved and bull nosed



Classic Travertine - Travertine
 USS - 468
 300 x 600 mm
 Thickness 30 mm
 Tumbled, grooved and bull nosed
 Available in all colours



White Crown - Marble
 USS - 614
 150 x 600 mm
 Thickness 30 mm
 Tumbled, grooved and bull nosed



Natural Stone Copings profile



Mondo - Gradino Grooved
300 x 300 mm
Thickness 9 mm



Thor - Gradino Grooved
300 x 300 mm
Thickness 9 mm




Baldor - Gradino Grooved
300 x 300 mm
Thickness 9 mm



Freyr - Gradino Grooved
300 x 300 mm
Thickness 9 mm



Odino - Gradino Grooved
300 x 300 mm
Thickness 9 mm



Gradino 300 x 300 mm Profile
Thickness 9 mm

A Anti-Slip Rating
DIN 51097 'C'

Pendulum
SRV Dry 69
Wet 65

WA Series Porcelain Copings



Athenean - Gradino Grooved
WA-16
Riven Finish



Thassos - Gradino Grooved
WA-45
Riven Finish



Athenean - Gradino Grooved
WA-16
Riven Finish



Chile - Gradino Grooved
WA-24
Riven Finish






Timoa - Gradino Grooved
WA-18
Riven Finish



Blanes - Gradino Grooved
WA-46
Riven Finish



Purino - Gradino Grooved
WA-30
Riven Finish

<p>Accessories</p>	 <p>Battiscopa 90 x 300 mm, 90 x 400 mm Thickness 9.5 mm</p>
 <p>Gradino 300 x 300 mm Thickness 9.5 mm</p>	 <p>Gradino 300 x 600 mm Thickness 9.5 mm</p>




A Anti-Slip Rating
DIN 51097 'B'

Gradino Grooved WA-16
Also available in 300 x 600 mm in all colours



Kallim - Gradino Grooved
WA-14
Riven Finish



Davos - Gradino Grooved
WA-34
Riven Finish



Marostica - Gradino Grooved
WA-27
Riven Finish



Wyoming - Gradino Grooved
WA-26
Riven Finish




Autumn - Gradino Grooved
WA-40
Riven Finish



Isola - Gradino Grooved
WA-42
Riven Finish



Menorca - Gradino Grooved
WA-38
Riven Finish



Arlberg - Gradino Grooved
WA-28
Riven Finish



Cumin - Gradino Grooved
WA-44
Riven Finish




Limoges - Gradino Grooved
WA-22
Riven Finish




Oregon - Gradino Grooved
WA-32
Riven Finish



Plural - Gradino Grooved
WA-20
Riven Finish



Innsbruck - Gradino Grooved
WA-36
Riven Finish



Emperado - Gradino Grooved
WA-21
Riven Finish




Melange - Gradino Grooved
WA-12
Riven Finish

Lifestone - Porcelain Copings



Lifestone Nacar Anti-Slip
Gradino Grooved



Lifestone Arena Anti-Slip
Gradino Grooved

Gradino 300 x 300 mm
Gradino 450 x 450 mm
Thickness 10 mm

Gradino 300 x 600 mm
Thickness 10 mm




Lifestone Gris Anti-Slip
Gradino Grooved



Lifestone Tabaco Anti-Slip
Gradino Grooved

A Anti-Slip Rating
DIN 51097 'C'


Pendulum
SRV Dry 60
Wet 50






Grigio - Gradino Grooved
300 x 300 mm



Nero - Gradino Grooved
300 x 300 mm



Rosso - Gradino Grooved
300 x 300 mm

Accessories	
	 <p>Battiscopa Porphir 95 x 300mm Thickness 10 mm</p>
 <p>45mm</p> <p>Elle Porphir 150 x 300mm Thickness 10 mm</p>	 <p>Gradino Porphir 300 x 300 mm Profile Thickness 10 mm</p>


Anti-Slip Rating
DIN 51097 'C'

Pendulum
SRV Dry 62
Wet 48

Unglazed Accessories



NDM White - Step Edge
100 x 100 mm
Thickness 9 mm



2NDM White - Double Step Edge
100 x 100 mm
Thickness 9 mm



FG White - Finger Grip
100 x 100 mm
Thickness 9 mm



NDM White - Step Edge
50 x 50 mm
Thickness 5mm



NDM Black - Step Edge
50 x 50 mm
Thickness 5 mm



NDM Cognac - Step Edge
50 x 50 mm
Thickness 5mm



2NDM White - Double Step Edge
50 x 50 mm
Thickness 5 mm



NDM Cognac - Step Edge
100 x 100 mm
Thickness 9 mm



NDM Black - Step Edge
100 x 100 mm
Thickness 9 mm



PAR External Angle - White



PAR Skirting - White
100 x 100 mm



PAR Internal Angle - White

A Anti-Slip Ratings	Natural Finish
DIN 51130	R10
DIN 51097	C
Pendulum SRV	Dry 59
	Wet 39




Petit Carre (cobalt blue)
10207
120 x 245 mm
Thickness 19 mm



Petit Carre (cobalt blue)
21217
120 x 245 mm
Thickness 8 mm



00010
Drain
50 mm Diameter



Rain Channel (unglazed)
70100
120 x 245 mm
Thickness 19 mm

Perforated Rain Outlet (unglazed)
70110
120 x 245 mm
Thickness 19 mm



One Sided Rain Stop End (unglazed)
70120
120 x 245 mm
Thickness 19 mm

Ⓜ Anti-Slip Rating
DIN 51097 'C'

please visit our website

www.waxmanceramics.co.uk

Head Office

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Tel 01422 377123
Fax 01422 310654

email info@waxmanceramics.co.uk