A SELECTION
OF MOSAIC,
LARGE FORMAT
& TECHNICAL TILES

Waxman Ceramics

Head Office **01422 311331**

Grove Mills
Elland
West Yorkshire
HX5 9DZ
England

Email info@waxmanceramics.co.uk
Web www.waxmanceramics.co.uk

Waxman Ceramics Ltd - Part of the Waxman Group

Waxman Ceramics Pool & Spa Collection

Waxman Ceramics

POOL & SPA COLLECTION

POOL & SPA COLLECTION

MOSAIC

4 Abalon
8 Aquastyle
12 Ceramic Pool
16 Harmonie
20 Karma
24 Nature
28 Niebla

POOL SURROUND

36 Ardesia
38 Atlanta
40 Garland
42 Nusa
44 Origen
46 Rockland
48 Sahara
50 Vancouver

COMPLETE SOLUTIONS

52 Litos
56 Marbles
60 Urban
64 Yoho

TECHNICAL

70 Aquatile
72 Unglazed
76 Ardex
78 Technical Info

MOSAIC

MOSAIC

ABALON

GLASS MOSAIC

AB-05 CERULEAN + AB-02 OPALINE

ABALON
MOSAIC

ABALON
GLASS MOSAIC

AB-14 ABYSS

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank
					Internal	External	Internal	External	
25x25mm	5mm	Yes	33.3x33.3cm	169	●	●	●		●
Glass Mosaic with Polyurethane Dot Backing									

AB-02
Opaline

AB-03
Celeste

AB-05
Cerulean



AB-07
Azure



AB-14
Abyss



AB-39
Pewter

ABALON
MOSAIC

AQUASTYLE

GLASS MOSAIC

2003511 ARRECIFE IRIDIS GREY

AQUASTYLE
MOSAIC

AQUASTYLE

GLASS MOSAIC

2003388 FOREST BLUE

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank
					Internal	External	Internal	External	
25x25mm	5mm	Yes	31x46.7cm	216	●	●	●		●

Glass Mosaic with Polyurethane Dot Backing

2003508
Arrecife Blue

2003509
Rodas

2003252
Blue Macauba

2003388
Forest Blue



2003511
Arrecife Iridis Grey

AQUASTYLE
MOSAIC

CERAMIC POOL

PORCELAIN MOSAIC

CG-444 BALTIC BLUE + CA-101 WHITE ANTI-SLIP

CERAMIC POOL

PORCELAIN MOSAIC

CB-144 CARIBBEAN + CG-1451 SAPPHIRE



Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
23x23mm	6mm	Yes	30x30cm	144	●	●	●		●	
A 23x23mm	6mm	Yes	30x30cm	144	●	●	●	●	●	C/Safe
U 23x23mm	6mm	Yes	30x30cm	144	●	●	●	●	●	

Glazed Porcelain Mosaic with Nylon Mesh Backing

CM-140 ③
Matt white

CG-100 ②
Gloss white

CG-116 ②
Vanilla

CG-139 ①
Gunmetal Grey



CM-890 ②
Matt Black

CG-890 ①
Gloss Black

CG-120 ②
Steel Grey

CG-340 ②
Mint

CG-470 ②
Sky Blue

CG-1451 ①
Sapphire



CG-444 ①
Baltic Blue

CB-104 ①
Ocean

CB-144 ②
Caribbean

CB-448 ②
Mediterranean

CA-101 ③ A
White Anti-Slip

CA-404 ③ A
Sky Blue Anti-Slip

CU-171 ④ U
Unglazed White

CU-117 ④ U
Unglazed Black

HARMONIE

CRYSTAL PORCELAIN

AG-5 EGEE

HARMONIE
MOSAIC

HARMONIE

CRYSTAL PORCELAIN

AF-1 FLORIDE

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
25x25mm	4mm	Yes	34.8x34.8cm	169	●	●	●		●	
A 25x25mm	4mm	Yes	34.8x34.8cm	169	●	●	●	●	●	R12/C/Safe
Crystal Porcelain Mosaic with Nylon Mesh Backing										

AG-1 Muguet (4)

AG-2 Pierre (4) A

AG-3 Lotus (4) A

AG-4 Mouette (3)

AG-5 Egee (3)

AG-6 Caraibes (1)

AG-10 Genet (4)



AG-11 Prunelle A

AG-13 Camel (4)

AG-16 Tuile (1)

AG-17 Californie (4) A



AG-18 Lavande (3) A

AG-20 Gravier (4) A

AG-21 Clairiere (4)

AG-22 Pollen (4)

AG-23 Pivoine

AG-24 Ivraie (3) A

AG-30 Quetsche

AG-31 Buis (3)

AG-32 Galapagos (3) A



AG-33 Danube (1) A

AG-34 Aster (3) A



AG-36 Schiste (1)



AG-37 Fuchsia (1)

AG-70 Zinnia (1)

AG-71 Camelia (3)

AG-72 Noisetier (2)

AG-75 Bahamas (3)

AF-1 Floride (4) A



AF-2 Cipango (4) A

AF-3 Flores (3) A

AF-4 Scilly (3) A

AF-5 Orcade (4) A

A Also available in Anti-Slip

KARMA
GLASS MOSAIC

KA-01 CALACATTA

KARMA
MOSAIC

KARMA

GLASS MOSAIC

KA-12 AQUARELA

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
25x25mm	5mm	Yes	33.3x33.3cm	169	●	●			●	

Glass Mosaic with Polyurethane Dot Backing

KA-01
Calacatta



KA-04
Black Marble

KA-12
Aquarela

KA-06
Moana

KA-09
Blue Moon

NATURE

GLASS MOSAIC

5608 BALI

5606 AIR FORCE

NATURE
MOSAIC

NATURE

GLASS MOSAIC

5607 SKY

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
25x25mm	5mm	Yes	31.7x31.7cm	144	●	●	●		●	
Glass Mosaic with Polyurethane Dot Backing										

5607 Sky

5606 Air Force

5604 Royal

5704 Royal Matt

5608 Bali



5708 Bali Matt

NIEBLA

GLASS MOSAIC

PS-53 FOGGY MID BLUE + PS-53 A/S FOGGY MID BLUE

NIEBLA
MOSAIC

NIEBLA

GLASS MOSAIC

PS-150 MIX IRIS ORIA + PS-155 MIX IRIS UROLA + PS-27 A/S CAP DARK BLUE

NIEBLA
MOSAIC

NIEBLA

GLASS MOSAIC

MIX-IRIS TER

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
25x25mm	5mm	Yes	33.3x33.3cm	169	●	●	●		●	
A 25x25mm	5mm	Yes	33.3x33.3cm	169	●	●	●	●	●	C/Safe
A 50x50mm Cap	5mm	Yes	50x50mm	1	●	●	●	●	●	C/Safe
Glass Mosaic with Polyurethane Dot Backing										

PS-25
White

PS-50
Foggy Light Blue



PS-53
Foggy Mid Blue



PS-55
Foggy Dark Blue

PS-40
Foggy Aqua

Giava

Paradise Zafiro

PS-150
Mix Iris Oria

PS-153
Mix Iris Urumea



PS-155
Mix Iris Urola

Mix-Iris Ter



Mix Iris Murray

NT-10
Carpatos Anti-Slip

PS-50 A/S
Foggy Light Blue Anti-Slip



PS-53 A/S
Foggy Mid Blue Anti-Slip



PS-55 A/S
Foggy Dark Blue Anti-Slip

PS27 A/S Cap
Dark Blue Anti-Slip 90°

POOL SURROUND

POOL SURROUND

ARDESIA

GLAZED PORCELAIN

ALMOND ANTI-SLIP

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V4	●	●	●	●	●	R12/C/Safe

Almond Anti-Slip
40.8x66.2cm - 9mm
4 A

Almond Anti-Slip Step Edge
40.8x66.2cm - 9mm
4 A

Natural Anti-Slip
40.8x66.2cm - 9mm
4 A

Natural Anti-Slip Step Edge
40.8x66.2cm - 9mm
4 A

Gris Anti-Slip
40.8x66.2cm - 9mm
4 A

Gris Anti-Slip Step Edge
40.8x66.2cm - 9mm
4 A

Ocre Anti-Slip
40.8x66.2cm - 9mm
4 A

Ocre Anti-Slip Step Edge
40.8x66.2cm - 9mm
4 A

ATLANTA

GLAZED PORCELAIN

CA-6901 CLOUD

Format	Thickness	Frostproof	Sheet Size	Tiles / Sheet	Wall		Floor		Pool Tank	Anti-Slip Rating
					Internal	External	Internal	External		
A 48x48mm	6mm	Yes	30.5x30.5cm	36	●	●	●	●	●	C/Safe
Glazed Porcelain Mosaic with Nylon Mesh Backing										

CA-6901
Cloud
2 A

CA-6940
White
3 A

ATLANTA
POOL SURROUND

GARLAND

GLAZED PORCELAIN

GREY ANTI-SLIP + GREY ANTI-SLIP STEP EDGE

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V3	●	●	●	●	●	R11/C/Safe

GREY + 5X5 MOSAIC

Grey Anti-Slip
33x33cm - 7.8mm (4) (A)

Grey Anti-Slip Step Edge (4) (A)
33x33cm - 7.8mm

Grey Anti-Slip Mosaic (4) (A)
5x5cm - 7.8mm

Pearl Anti-Slip
33x33cm - 7.8mm (4) (A)

Pearl Anti-Slip Step Edge (4) (A)
33x33cm - 7.8mm

Pearl Anti-Slip Mosaic (4) (A)
5x5cm - 7.8mm

NUSA

GLAZED PORCELAIN

NUSA JADE + NUSA JADE BOTANIC

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V3	●	●	●	●	●	R12/C/Safe
Decor	Yes	V3	●	●	●	●	●	R11/B

Nusa Jade
25x25cm - 10mm
4 A

Nusa Saphire
25x25cm - 10mm
4 A

Nusa Taupe
25x25cm - 10mm
4 A

Nusa Jade Botanic
25x25cm - 10mm
4

Nusa Saphire Botanic
25x25cm - 10mm
4

Nusa Taupe Botanic
25x25cm - 10mm
4

ORIGEN

GLAZED PORCELAIN

NATURAL ANTI-SLIP + STEP EDGE

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V4	●	●	●	●	●	R12/C/Safe

Miel Anti-Slip 4 A
20.2x66.2cm - 10mm

Miel Anti-Slip Step Edge 4 A
20.2x66.2cm - 10mm

Natural Anti-Slip 2 A
20.2x66.2cm - 10mm



Natural Anti-Slip Step Edge 2 A
20.2x66.2cm - 10mm

Gris Anti-Slip 3 A
20.2x66.2cm - 10mm

Gris Anti-Slip Step Edge 3 A
20.2x66.2cm - 10mm

ORIGEN
POOL SURROUND

ROCKLAND

GLAZED PORCELAIN

GREY

Format	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating	Thickness
			Internal	External	Internal	External			
60x60cm	Yes	V2	●	●	●	●	●	Safe	9.8mm
60x60cm	Yes	V2			●	●		R11/C/Safe	20mm

20MM
THICKNESS

Pearl
60x60cm - 9.8mm / 20mm (4) (A)

Grey
60x60cm - 9.8mm / 20mm (4) (A)

Anthracite
60x60cm - 9.8mm / 20mm (3) (A)

Mink
60x60cm - 9.8mm / 20mm (4) (A)

Thicknesses

9.8mm

20mm

SAHARA
GLAZED PORCELAIN

CREMA ANTI-SLIP + STEP EDGE

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V3	●	●	●	●	●	R11/C/Safe

Blanco Anti-Slip (4) (A)
45x45cm - 10mm

Blanco Anti-Slip Step Edge (4) (A)
45x45cm - 10mm

Gris Anti-Slip (3) (A)
45x45cm - 10mm

Gris Anti-Slip Step Edge (3) (A)
45x45cm - 10mm

Crema Anti-Slip (4) (A)
45x45cm - 10mm

Crema Anti-Slip Step Edge (4) (A)
45x45cm - 10mm

VANCOUVER

GLAZED PORCELAIN

BLANCO ANTI-SLIP + STEP EDGE

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Anti-Slip	Yes	V3	●	●	●	●	●	R12/C/Safe

Blanco Anti-Slip (4) (A)
20.2x66.2cm - 10mm

Blanco Anti-Slip Step Edge (4) (A)
20.2x66.2cm - 10mm

Gris Anti-Slip (3) (A)
20.2x66.2cm - 10mm

Gris Anti-Slip Step Edge (3) (A)
20.2x66.2cm - 10mm

Miel Anti-Slip (3) (A)
20.2x66.2cm - 10mm

Miel Anti-Slip Step Edge (3) (A)
20.2x66.2cm - 10mm

VANCOUVER
POOL SURROUND

LITOS

GLAZED PORCELAIN

ARTICO

LITOS
COMPLETE SOLUTIONS

LITOS
GLAZED PORCELAIN

SABANA

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Natural	Yes	V2	●	●	●		●	
Anti-Slip	Yes	V2	●	●	●	●	●	R11/C/Safe

Artico
100x100cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Artico
60x120cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Artico
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Sabana
100x100cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Sabana
60x120cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Sabana
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Siberia
100x100cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Siberia
60x120cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Siberia
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Square Step Edge A
33x120cm - 3cm

Overflow Edge A
28x66.5cm
Thickness 1.7cm - 3cm

Overflow Corner A
33x33cm
Thickness 1.7cm - 3cm

Skirting
9x40cm

Grating A
24.5x24.5cm - 3cm

Grating Corner A
24.5x33 cm - 3cm
(set of 2 pieces)

Internal Cove
4x33cm

External Cove
3x33cm

Internal Cap
4x4cm

External Cap
3x3cm

MARBLES

GLAZED PORCELAIN

TRAVERTINO

MARBLES
COMPLETE SOLUTIONS

MARBLES

GLAZED PORCELAIN

CALACATTA

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Natural	Yes	V1	●	●	●		●	
Anti-Slip	Yes	V1	●	●	●	●	●	R11/C/Safe



Calacatta
60x120cm - 11mm - Rectified
Natural 5

Calacatta
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Travertino
60x120cm - 11mm - Rectified
Natural 5

Travertino
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Crema Marfil
60x120cm - 11mm - Rectified
Natural 5

Crema Marfi
33x66.5cm
10mm
Natural 5
Anti-Slip 5 A

Square Step Edge A
33x120cm - 3cm

Internal Cove
4x33cm

Internal Cap
4x4cm

Skirting
9x40cm

External Cove
3x33cm

External Cap
3x3cm

MARBLES
COMPLETE SOLUTIONS

URBAN

GLAZED PORCELAIN

BLANCO

URBAN
COMPLETE SOLUTIONS

URBAN
GLAZED PORCELAIN

GRIS

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Natural	Yes	V2	●	●	●		●	
Anti-Slip	Yes	V2	●	●	●	●	●	R11/C/Safe

Blanco
60x120cm - 10.4mm
Natural 4

Gris
60x120cm - 10.4mm
Natural 4

Blanco
60x60cm - 10mm
Natural 4
Anti-Slip 4 A

Gris
60x60cm - 10mm
Natural 4
Anti-Slip 4 A

Beige
60x60cm - 10mm
Natural 4
Anti-Slip 4 A

Grafito
60x60cm - 10mm
Natural 2
Anti-Slip 2 A

Blanco
30x60cm - 10mm
Natural 4
Anti-Slip 4 A

Gris
30x60cm - 10mm
Natural 4
Anti-Slip 4 A

Beige
30x60cm - 10mm
Natural 4
Anti-Slip 4 A

Grafito
30x60cm - 10mm
Natural 2
Anti-Slip 2 A

Blanco
30x30cm
10mm
Anti-Slip 4 A

Gris
30x30cm
10mm
Anti-Slip 4 A

Beige
30x30cm
10mm
Anti-Slip 4 A

Grafito
30x30cm
10mm
Anti-Slip 2 A

Straight Stair-Tread A
31.5x119.7cm
38mm

Straight Stair-Tread A
31.5x59.7cm
38mm

Straight Stair-Tread A
31.5x29.7cm
38mm

Straight Stair-Corner A
31.5x31.5cm
38mm

Overflow Channel A
29.7x24.4cm
30mm

Overflowing Edge A
32.5x59.7cm
25mm

Overflowing Internal Edge A
32.5x44.4cm
25mm

Overflowing External Edge A
32.5x41.8cm
25mm

Ceramic Grating A
30x24.4cm
25mm

Grating Corner A
30x24.4cm
25mm

Flexible Grid A
24.5x5.2cm
25mm

Skirting
29.7x8cm

YOHO

GLAZED PORCELAIN

OAK

YOHO
COMPLETE SOLUTIONS

YOHO
GLAZED PORCELAIN

NATURAL

Finish	Frostproof	Colour Variation	Wall		Floor		Pool Tank	Anti-Slip Rating
			Internal	External	Internal	External		
Natural	Yes	V1	●	●	●		●	
Anti-Slip	Yes	V1	●	●	●	●	●	R11/C/Safe

Oak
25x150cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Maple
25x150cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Natural
25x150cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Teca
25x150cm - 11mm - Rectified
Natural 5
Anti-Slip 5 A

Oak
16.25x66.5cm - 5mm
5 A

Maple
16.25x66.5cm - 5mm
5 A

Natural
16.25x66.5cm - 5mm
5 A

Teca
16.25x66.5cm - 5mm
5 A

Square Step Edge A
33x120cm - 3cm

Pool Coping A
45x75cm - 3cm

Skirting
9x60cm

YOHO
COMPLETE SOLUTIONS

TECHNICAL

TECHNICAL



AQUATILE

TECHNICAL PIECES

Pool Tank Tiles

Azul Brillo
12x25cm - 8.5mm

Azul Oscuro Brillo
12x25cm - 8.5mm

Blanco Brillo
12x25cm - 8.5mm

Natural Brillo
12x25cm - 8.5mm

Grided Tiles (R12)

Azul Palido Mate A
25x25cm - 8.5mm
Also available in 12x25cm - 8.5mm

Azul Mate A
25x25cm - 8.5mm

Aciker Gris Mate A
25x25cm - 8.5mm
Also available in 12x25cm - 8.5mm

Negro Mate A
25x25cm - 8.5mm
Also available in 12x25cm - 8.5mm

Natural Mate A
25x25cm - 8.5mm
Also available in 12x25cm - 8.5mm

Grooved Tiles (R11)

Azul Palido Mate A
12x25cm - 8.5mm

Azul Mate A
12x25cm - 8.5mm

Aciker Gris Mate A
12x25cm - 8.5mm

Negro Mate A
12x25cm - 8.5mm

Natural Mate A
12x25cm - 8.5mm

Blanco Mate A
12x25cm - 8.5mm

Azul Oscuro Mate A
12x25cm - 8.5mm

Edging Tiles

Solid Finnish Edge A
12x25cm - 35mm

Grooved Bullnose (R11) A
12x25cm - 8.5mm

This is a selection of the Aquatile range.

Full details are available upon request.

UNGLAZED

UNGLAZED PORCELAIN

SUPER WHITE + BLACK

UNGLAZED
TECHNICAL

UNGLAZED

UNGLAZED PORCELAIN

WK-100 RED

Format	Thickness	Frostproof	Colour Variation	Wall		Floor	
				Internal	External	Internal	External
2x2cm	3.8mm	Yes	V1	●	●	●	●
5x5cm	5/9mm	Yes	V1	●	●	●	●
10x10cm	9/11mm	Yes	V1	●	●	●	●

UNGLAZED
TECHNICAL

WK-110 Pink
WK-111 Old Pink
WK-112 Parme
WK-131 Vanilla
WK-130 Ivory
WK-132 Cognac
WK-141 Pale Blue
WK-142 Blue
WK-143 Dark Blue
WK-144 Blue Moon
WK-150 Pistachie
WK-151 Pale Green
WK-152 Green
WK-153 Dark Green
WK-154 Australian Green
WK-122 Pearl Grey
WK-123 Pale Grey
WK-124 Grey
WK-125 Anthracite
WK-126 Black
WK-120 Super White
WK-121 White
WK-136 Ontario
WK-135 Linen
WK-139 Taupe
WK-134 Coffee
WK-133 Yellow
WK-138 Caramel
WK-137 Havana
WK-100 Red
WK-101 Brown

Rice Grain Anti-Slip

Available in all colours

Rice Grain 10x10cm

Rice Grain 5x5cm

Step Edge

Available in all colours

NDM White - Step Edge 10x10cm

NDM White - Step Edge 5x5cm

Size	Sheet Size	Floorware Rating	Anti-Slip Rating
2x2cm	30.8x30.8cm	6	DIN 51130 R10 DIN 51097 C PTV +36
5x5cm	31.8x31.8cm	6	DIN 51130 R10 DIN 51097 C PTV +36
10x10cm	n/a	6	DIN 51130 R10 DIN 51097 B PTV +25
5x5cm Rice Grain	31.8x31.8cm	6	DIN 51130 R10 DIN 51097 C PTV +36
10x10cm Rice Grain	n/a	6	DIN 51130 R10 DIN 51097 C PTV +36

ARDEX

GROUT & ADHESIVE

Ardex X77
Flexible tile adhesive
Available in grey and white

Ardex Flex FS - 2.5kg 10kg
Flexible tile grout for narrow joints up to 4mm
Available in a variety of colours

Ardex Flex FL - 2.5kg 10kg
Flexible tile grout for wide joints 3 -15mm wide
Available in a variety of colours

Ardex EG18 Plus
Easy apply & clean epoxy tile grout and adhesive
Available in a variety of colours

Key

- (A) Anti-Slip Rating as indicated for each range
- (A) Also available in Anti-Slip
- (U) Unglazed

Colour Variation



V1 V2 V3 V4

V1: No variation
V2: Slight variation
V3: Moderate variation
V4: Substantial variation

Floor Wear Rating Guide

	Floor Wear Rating - Guidance for use as below
①	Floors with very little traffic. No abrasion. (eg Bathrooms)
②	Floors with light traffic. Light abrasion. (eg All rooms in the house except kitchens and rooms leading directly to the outside)
③	Floors with moderate traffic. Medium abrasion. (eg All rooms in the house, entrance ways must be protected with mats)
④	Floors with heavy traffic. High abrasion. (eg All rooms in the house, restaurants and light commercial)
⑤	Floors with very heavy traffic. High abrasion. (eg Commercial areas, Shopping Malls)
⑥	Unglazed tiles. Suitable for all very heavy traffic areas.

Anti-Slip Rating Guide

Ramp Testing

DIN51130 - Shod Traffic

Classification	Angle
R9	6° < 10°
R10	10° < 19°
R11	19° < 27°
R12	27° < 35°
R13	> 35°

DIN51097 - Barefoot Traffic

Classification	Angle
A	12° < 17°
B	18° < 23°
C	> 24°

Pendulum Testing

PTV = Pendulum Test Value

British Wet Pendulum Test - BS 7976		
	4S Slider	TRL (55 Slider)
	Shod Traffic	Barefoot Traffic
High Slip Potential	0 - 24	0 - 19
Moderate Slip Potential	25 - 35	20 - 39
Low Slip Potential	36+	40 - 74
Very Low Slip Potential	75+	75+

Pendulum Test Key
Pendulum Shod = Safe for shod traffic (+36)
Pendulum Barefoot = Safe for barefoot traffic (+40)

The information contained within this document is, to the best of our knowledge, accurate at the time of production.

We reserve the right to modify this document at any time.

Whilst every attempt has been made to accurately reproduce colours and textures, images used within this document are only intended as a guide.

Please refer to actual product samples before specifying or ordering.

REF: 23/03